ELSEVIER

Chemical Physics 253 (2000) 395–399

Chemical Physics

www.elsevier.nl/locate/chemphys

Author index

Abematsu, C., see Nakayama, H. 253 (2000) 331
Abram, U., see Voigt, A. 253 (2000) 171
Adachi, H., see Suzuki, C. 253 (2000) 27
Agostini, G., L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch, Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study 253 (2000) 105
Alemán, C., The keto–amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models 253 (2000) 13
Aramendía, P.F., see Torga, J.R. 253 (2000) 249

Böttcher, R., see Voigt, A. 253 (2000) 171
Badenes, M.P., E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri, Kinetics of the reactions of $FC(O)O_2$ radicals with F atoms and F_2 253 (2000) 205
Bakker, H.J., see van den Broek, M.A.F.H. 253 (2000) 157
Bartolotti, L.J., see Chesnut, D.B. 253 (2000) 1
Bergman, D.L., Topological properties of the hydrogen-bond network in liquid water 253 (2000) 267
Bhattacharyya, S.P., see Chaudhury, P. 253 (2000) 295
Bielschowsky, C.E., see Rocha, A.B. 253 (2000) 51
Boulet, P., F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger, Reply to Comment on "Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+" [Chem. Phys. 253 (2000) 389–390] 253 (2000) 391
Brion, C.E., see Litvinyuk, I.V. 253 (2000) 41
Buehler, E.J., E.E. Gooch, J.L. Dial and S.K. Knudson, Semiclassical energies of low-lying states of one-electron diatomics 253 (2000) 219

Cacace, F., and G. de Petris, Comment on "Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+" [Chem. Phys. 244 (2000) 163–174] 253 (2000) 389
Castellano, E., see Badenes, M.P. 253 (2000) 205
Chaudhury, P., S.P. Bhattacharyya and W. Quapp, A genetic algorithm based technique for locating first-order saddle point using a gradient dominated recipe 253 (2000) 295
Chermette, H., see Boulet, P. 253 (2000) 391
Chesnut, D.B., and L.J. Bartolotti, The electron localization function description of aromaticity in five-membered rings 253 (2000) 1
Cobos, C.J., see Badenes, M.P. 253 (2000) 205

PII: S0301-0104(00)00035-5

Croce, A.E., see Badenes, M.P. 253 (2000) 205

da Silveira, N.P., F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto, Ab initio determination of the $C_6H_6\cdots CS_2$ cluster stabilization energy 253 (2000) 165
de Petris, G., see Cacace, F. 253 (2000) 389
Dial, J.L., see Buehler, E.J. 253 (2000) 219
Doktorov, A.B., see Toropov, Yu.V. 253 (2000) 231

Edvardsson, D., see Holland, D.M.P. 253 (2000) 133
Ellinger, Y., see Boulet, P. 253 (2000) 391

Fourkas, J.T., see Loughnane, B.J. 253 (2000) 323
Franco, M.L., see Jorge, F.E. 253 (2000) 21
Fritzsche, S., R. Haberlandt and M. Wolfsberg, Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of lattice vibrations and of mutual interaction in the diffusion of methane in a cation-free LTA zeolite 253 (2000) 283
Fujimoto, H., see Kimura, T. 253 (2000) 125

Gómez, J.A., and D. Guenzburger, Density functional study of electronic, magnetic and hyperfine properties of $[M(CN)_5NO]^{2-}$ (M = Fe, Ru) and reduction products 253 (2000) 73
Gilardoni, F., see Boulet, P. 253 (2000) 391
Gooch, E.E., see Buehler, E.J. 253 (2000) 219
Guenzburger, D., see Gómez, J.A. 253 (2000) 73
Guo, S.-L., see Zhu, X.-L. 253 (2000) 241

Haberlandt, R., see Fritzsche, S. 253 (2000) 283
Halkier, A., B. Kirchner, H. Huber and M. Jaszuński, Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on the T_1 NMR relaxation time in fluid neon 253 (2000) 183
Hashimoto, Y., see Kimura, T. 253 (2000) 125
Hirsch, A., see Agostini, G. 253 (2000) 105
Holland, D.M.P., D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen, A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes 253 (2000) 133
Huber, H., see Halkier, A. 253 (2000) 183
Hupp, J.T., see Vance, F.W. 253 (2000) 313

Ishii, K., see Nakayama, H. 253 (2000) 331
Izvekov, V., see Kovács, A. 253 (2000) 193

Jaszuński, M., see Halkier, A. 253 (2000) 183
Jorge, F.E., and M.L. Franco, A universal Gaussian basis set for positive and negative ions from H through Xe 253 (2000) 21
Jurczok, M., P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig, Excited state relaxation paths in 9,9′-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study 253 (2000) 339

Karlsson, L., see Holland, D.M.P. 253 (2000) 133
Kawai, J., see Suzuki, C. 253 (2000) 27

Keresztury, G., see Kovács, A. 253 (2000) 193
Kim, H.-S., Monte Carlo simulation study of solvent effect on Na^+ to Li^+ ion mutation 253 (2000) 305
Kimura, T., M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki, Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy 253 (2000) 125
Kirchner, B., see Halkier, A. 253 (2000) 183
Kirmse, R., see Voigt, A. 253 (2000) 171
Knudson, S.K., see Buehler, E.J. 253 (2000) 219
Kosuge, M., see Moriyama, M. 253 (2000) 91
Kovács, A., G. Keresztury and V. Izvekov, Intramolecular hydrogen-bonding in 2-nitroresorcinol. A combined FT-IR, FT-Raman and computational study 253 (2000) 193
Kovačević, B., see Maksić, Z.B. 253 (2000) 59

Lamparth, I., see Agostini, G. 253 (2000) 105
Lesar, A., see Maksić, Z.B. 253 (2000) 59
Litvinyuk, I.V., Y. Zheng and C.E. Brion, Valence shell orbital imaging in adamantane by electron momentum spectroscopy 253 (2000) 41
Livotto, P.R., see da Silveira, N.P. 253 (2000) 165
Loughnane, B.J., A. Scodinu and J.T. Fourkas, Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted geometries 253 (2000) 323

Maggini, M., see Agostini, G. 253 (2000) 105
Makarov, V.I., and E. Quiñones, Relaxation of individual rotational levels of the $\tilde{A}^1A_u$ electronic state of acetylene excited to the $2\nu_3'$ and $(\nu_1'+\nu_3'+\nu_6')$ vibrational modes 253 (2000) 259
Maksić, Z.B., B. Kovačević and A. Lesar, Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene 253 (2000) 59
Mandal, A.K., and M.K. Pal, Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT 253 (2000) 115
Marconi, M.C., see Torga, J.R. 253 (2000) 249
Maripuu, R., see Holland, D.M.P. 253 (2000) 133
Martín Negri, R., see Torga, J.R. 253 (2000) 249
Martin, M.M., see Jurczok, M. 253 (2000) 339
Matsuzaki, S., see Kimura, T. 253 (2000) 125
Meyer, Y.H., see Jurczok, M. 253 (2000) 339
Mihailović, D., see Umek, P. 253 (2000) 361
Minagawa, Y., see Nakayama, H. 253 (2000) 331
Molin, Yu.N., see Toropov, Yu.V. 253 (2000) 231
Molinari, E., and M. Tomellini, Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes 253 (2000) 367
Monti, S., see Agostini, G. 253 (2000) 105
Moriyama, M., M. Kosuge, S. Tobita and H. Shizuka, Excited-state intramolecular proton transfer followed by *cis–trans* isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives 253 (2000) 91
Mukoyama, T., see Suzuki, C. 253 (2000) 27

Nakayama, H., Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii, Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4′-cyanobiphenyl 253 (2000) 331

Omerzu, A., see Umek, P. 253 (2000) 361
Painelli, A., Erratum to: "Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes" [Chem. Phys. 245 (2000) 185–197] 253 (2000) 393
Pal, M.K., see Mandal, A.K. 253 (2000) 115
Pasimeni, L., see Agostini, G. 253 (2000) 105
Pereira, F.V., see da Silveira, N.P. 253 (2000) 165
Plaza, P., see Jurczok, M. 253 (2000) 339
Potts, A.W., see Holland, D.M.P. 253 (2000) 133
Prato, M., see Agostini, G. 253 (2000) 105

Quapp, W., see Chaudhury, P. 253 (2000) 295
Quiñones, E., see Makarov, V.I. 253 (2000) 259

Reinhold, J., see Voigt, A. 253 (2000) 171
Rettig, W., see Jurczok, M. 253 (2000) 339
Richter, U., see Voigt, A. 253 (2000) 171
Rocha, A.B., and C.E. Bielschowsky, Vibronic coupling for H_2CO and CO_2 253 (2000) 51
Rodembusch, F.S., see da Silveira, N.P. 253 (2000) 165
Ruzzi, M., see Agostini, G. 253 (2000) 105

Saito, N., see Suzuki, I.H. 253 (2000) 351
Sakaki, S., see Kimura, T. 253 (2000) 125
Samios, D., see da Silveira, N.P. 253 (2000) 165
Scodinu, A., see Loughnane, B.J. 253 (2000) 323
Shizuka, H., see Moriyama, M. 253 (2000) 91
Siegbahn, K., see Holland, D.M.P. 253 (2000) 133
Slone, R.V., see Vance, F.W. 253 (2000) 313
Stass, D.V., see Toropov, Yu.V. 253 (2000) 231
Stern, C.L., see Vance, F.W. 253 (2000) 313
Sumimoto, M., see Kimura, T. 253 (2000) 125
Suzuki, C., J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama, The electronic structure of rare-earth oxides in the creation of the core hole 253 (2000) 27
Suzuki, I.H., and N. Saito, Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions 253 (2000) 351
Sviridenko, F.B., see Toropov, Yu.V. 253 (2000) 231

Takahashi, M., see Suzuki, C. 253 (2000) 27
Tobita, S., see Moriyama, M. 253 (2000) 91
Tokumoto, M., see Umek, P. 253 (2000) 361
Tomellini, M., see Molinari, E. 253 (2000) 367
Torga, J.R., M.C. Marconi, R. Martín Negri and P.F. Aramendía, Molecular rotational diffusion detected by differential fluorescence energy 253 (2000) 249
Toropov, Yu.V., F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin, Influence of geminate recombination kinetics on the shape of low field MARY line 253 (2000) 231
Tucceri, M.E., see Badenes, M.P. 253 (2000) 205

Umek, P., A. Omerzu, D. Mihailović and M. Tokumoto, Synthesis and magnetic characterisation of fullerene derivative based ferromagnets 1-(3-nitro)- and 1-(3-aminophenyl)-1H-methanofullerene doped with cobaltocene 253 (2000) 361

van den Broek, M.A.F.H., and H.J. Bakker, Observation of a bottleneck in the vibrational relaxation of liquid bromoform 253 (2000) 157

Vance, F.W., R.V. Slone, C.L. Stern and J.T. Hupp, Comparative absorption, electroabsorption and electrochemical studies of intervalence electron transfer and electronic coupling in cyanide-bridged bimetallic systems: ancillary ligand effects 253 (2000) 313

Vlaicu, A.-M., see Suzuki, C. 253 (2000) 27

Voigt, A., U. Abram, R. Böttcher, U. Richter, J. Reinhold and R. Kirmse, Q-Band single-crystal EPR study and molecular orbital calculations of $[(C_6H_5)_4As][Re^{VINCl}_4/Re^{V}OCl_4]$ 253 (2000) 171

von Niessen, W., see Holland, D.M.P. 253 (2000) 133

Weber, J., see Boulet, P. 253 (2000) 391

Wolfsberg, M., see Fritzsche, S. 253 (2000) 283

Yajima, S., see Nakayama, H. 253 (2000) 331

You, X.-Z., see Zhu, X.-L. 253 (2000) 241

Yu, Z., see Zhu, X.-L. 253 (2000) 241

Zheng, Y., see Litvinyuk, I.V. 253 (2000) 41

Zhong, Y., see Zhu, X.-L. 253 (2000) 241

Zhu, X.-L., X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo, An improved calculation method on optical second-order susceptibilities of organic materials 253 (2000) 241

ELSEVIER

Chemical Physics 253 (2000) 401–412

Chemical Physics

www.elsevier.nl/locate/chemphys

Subject index

Methods and constructs

Theoretical

Computational methods for electronic structure

The electron localization function description of aromaticity in five-membered rings, D.B. Chesnut and L.J. Bartolotti 253 (2000) 1
The keto–amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models, C. Alemán 253 (2000) 13
A universal Gaussian basis set for positive and negative ions from H through Xe, F.E. Jorge and M.L. Franco 253 (2000) 21
The electronic structure of rare-earth oxides in the creation of the core hole, C. Suzuki, J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama 253 (2000) 27
Valence shell orbital imaging in adamantane by electron momentum spectroscopy, I.V. Litvinyuk, Y. Zheng and C.E. Brion 253 (2000) 41
Vibronic coupling for H_2CO and CO_2, A.B. Rocha and C.E. Bielschowsky 253 (2000) 51
Ab initio determination of the $C_6H_6\cdots CS_2$ cluster stabilization energy, N.P. da Silveira, F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto 253 (2000) 165
Q-Band single-crystal EPR study and molecular orbital calculations of $[(C_6H_5)_4As][Re^{VI}NCl_4/Re^{V}OCl_4]$, A. Voigt, U. Abram, R. Böttcher, U. Richter, J. Reinhold and R. Kirmse 253 (2000) 171

-CI and valence bond approach

Vibronic coupling for H_2CO and CO_2, A.B. Rocha and C.E. Bielschowsky 253 (2000) 51

-perturbative and many body approaches

Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene, Z.B. Maksić, B. Kovačević and A. Lesar 253 (2000) 59
Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on the T_1 NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and M. Jaszuński 253 (2000) 183

-density functional theory

Density functional study of electronic, magnetic and hyperfine properties of $[M(CN)_5NO]^{2-}$ (M = Fe, Ru) and reduction products, J.A. Gómez and D. Guenzburger 253 (2000) 73

PII: S0301-0104(00)00036-7

Intramolecular hydrogen-bonding in 2-nitroresorcinol. A combined FT-IR, FT-Raman and computational study, A. Kovács, G. Keresztury and V. Izvekov 253 (2000) 193
Kinetics of the reactions of $FC(O)O_2$ radicals with F atoms and F_2, M.P. Badenes, E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri 253 (2000) 205

Semiempirical methods
Excited-state intramolecular proton transfer followed by *cis–trans* isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka 253 (2000) 91

Algebraic approaches
Semiclassical energies of low-lying states of one-electron diatomics, E.J. Buehler, E.E. Gooch, J.L. Dial and S.K. Knudson 253 (2000) 219

Spin states and magnetic interactions
Density functional study of electronic, magnetic and hyperfine properties of $[M(CN)_5NO]^{2-}$ (M = Fe, Ru) and reduction products, J.A. Gómez and D. Guenzburger 253 (2000) 73
Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch 253 (2000) 105
Influence of geminate recombination kinetics on the shape of low field MARY line, Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin 253 (2000) 231

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)
An improved calculation method on optical second-order susceptibilities of organic materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo 253 (2000) 241
Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga, M.C. Marconi, R. Martín Negri and P.F. Aramendía 253 (2000) 249

Collisional and reactive molecular dynamics with non-frictional forces
Relaxation of individual rotational levels of the $\tilde{A}\ ^1A_u$ electronic state of acetylene excited to the $2v'_3$ and $(v'_1+v'_3+v'_6)$ vibrational modes, V.I. Makarov and E. Quiñones 253 (2000) 259

Molecular dynamics of many particle systems and condensed phases
Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on the T_1 NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and M. Jaszuński 253 (2000) 183
Topological properties of the hydrogen-bond network in liquid water, D.L. Bergman 253 (2000) 267

Migration and interaction on grids and lattices
Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of lattice vibrations and of mutual interaction in the diffusion of methane in a cation-free LTA zeolite, S. Fritzsche, R. Haberlandt and M. Wolfsberg 253 (2000) 283

Statistical computational methods (incl. Monte Carlo)
Kinetics of the reactions of $FC(O)O_2$ radicals with F atoms and F_2, M.P. Badenes, E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri 253 (2000) 205
Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of lattice vibrations and of mutual interaction in the diffusion of methane in a cation-free LTA zeolite, S. Fritzsche, R. Haberlandt and M. Wolfsberg 253 (2000) 283
A genetic algorithm based technique for locating first-order saddle point using a gradient dominated recipe, P. Chaudhury, S.P. Bhattacharyya and W. Quapp 253 (2000) 295
Monte Carlo simulation study of solvent effect on Na^+ to Li^+ ion mutation, H.-S. Kim 253 (2000) 305

Extremum methods for ensembles (energy, entropy, free energy)
Monte Carlo simulation study of solvent effect on Na^+ to Li^+ ion mutation, H.-S. Kim 253 (2000) 305

Experiment

Magnetic resonances
Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch 253 (2000) 105
Q-Band single-crystal EPR study and molecular orbital calculations of $[(C_6H_5)_4As][Re^{VI}NCl_4/Re^{V}OCl_4]$, A. Voigt, U. Abram, R. Böttcher, U. Richter, J. Reinhold and R. Kirmse 253 (2000) 171

Molecular spectroscopy
Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT, A.K. Mandal and M.K. Pal 253 (2000) 115
Comparative absorption, electroabsorption and electrochemical studies of intervalence electron transfer and electronic coupling in cyanide-bridged bimetallic systems: ancillary ligand effects, F.W. Vance, R.V. Slone, C.L. Stern and J.T. Hupp 253 (2000) 313

-infrared
Intramolecular hydrogen-bonding in 2-nitroresorcinol. A combined FT-IR, FT-Raman and computational study, A. Kovács, G. Keresztury and V. Izvekov 253 (2000) 193

-Raman
Intramolecular hydrogen-bonding in 2-nitroresorcinol. A combined FT-IR, FT-Raman and computational study, A. Kovács, G. Keresztury and V. Izvekov 253 (2000) 193
Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas 253 (2000) 323
Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4′-cyanobiphenyl, H. Nakayama, Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii 253 (2000) 331

-UV
An improved calculation method on optical second-order susceptibilities of organic materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo 253 (2000) 241

Relaxation of individual rotational levels of the $\tilde{A}\ ^1A_u$ electronic state of acetylene excited to the $2\nu_3'$ and $(\nu_1'+\nu_3'+\nu_6')$ vibrational modes, V.I. Makarov and E. Quiñones 253 (2000) 259

Photon counting and phase fluorimetry

Excited-state intramolecular proton transfer followed by *cis–trans* isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka 253 (2000) 91

Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT, A.K. Mandal and M.K. Pal 253 (2000) 115

Photoelectron and Auger spectroscopy

Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy, T. Kimura, M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki 253 (2000) 125

A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen 253 (2000) 133

X-ray spectroscopy

The electronic structure of rare-earth oxides in the creation of the core hole, C. Suzuki, J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama 253 (2000) 27

Electron impact spectroscopy

Valence shell orbital imaging in adamantane by electron momentum spectroscopy, I.V. Litvinyuk, Y. Zheng and C.E. Brion 253 (2000) 41

Ultrafast measurements

Observation of a bottleneck in the vibrational relaxation of liquid bromoform, M.A.F.H. van den Broek and H.J. Bakker 253 (2000) 157

Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga, M.C. Marconi, R. Martín Negri and P.F. Aramendía 253 (2000) 249

Excited state relaxation paths in 9,9′-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study, M. Jurczok, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig 253 (2000) 339

Synchrotron spectroscopies

A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen 253 (2000) 133

Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions, I.H. Suzuki and N. Saito 253 (2000) 351

Atomic and molecular beam techniques

Relaxation of individual rotational levels of the $\tilde{A}\ ^1A_u$ electronic state of acetylene excited to the $2\nu_3'$ and $(\nu_1'+\nu_3'+\nu_6')$ vibrational modes, V.I. Makarov and E. Quiñones 253 (2000) 259

Mass spectroscopy
Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene, Z.B. Maksić, B. Kovačević and A. Lesar 253 (2000) 59
Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions, I.H. Suzuki and N. Saito 253 (2000) 351
Radiolysis
Influence of geminate recombination kinetics on the shape of low field MARY line, Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin 253 (2000) 231
Measurement of macroscopic variables
Kinetics of the reactions of $FC(O)O_2$ radicals with F atoms and F_2, M.P. Badenes, E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri 253 (2000) 205
Synthesis and magnetic characterisation of fullerene derivative based ferromagnets 1-(3-nitro)- and 1-(3-aminophenyl)-1H-methanofullerene doped with cobaltocene, P. Umek, A. Omerzu, D. Mihailović and M. Tokumoto 253 (2000) 361

Objects

Bulk systems

Gases
The electron localization function description of aromaticity in five-membered rings, D.B. Chesnut and L.J. Bartolotti 253 (2000) 1
Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene, Z.B. Maksić, B. Kovačević and A. Lesar 253 (2000) 59
Kinetics of the reactions of $FC(O)O_2$ radicals with F atoms and F_2, M.P. Badenes, E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri 253 (2000) 205
Relaxation of individual rotational levels of the $\tilde{A}\ ^1A_u$ electronic state of acetylene excited to the $2\nu_3'$ and $(\nu_1'+\nu_3'+\nu_6')$ vibrational modes, V.I. Makarov and E. Quiñones 253 (2000) 259
Liquids neat
Observation of a bottleneck in the vibrational relaxation of liquid bromoform, M.A.F.H. van den Broek and H.J. Bakker 253 (2000) 157
Topological properties of the hydrogen-bond network in liquid water, D.L. Bergman 253 (2000) 267
Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas 253 (2000) 323
Liquid mixtures and solutions
Excited-state intramolecular proton transfer followed by *cis–trans* isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka 253 (2000) 91
Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga, M.C. Marconi, R. Martín Negri and P.F. Aramendía 253 (2000) 249
Excited state relaxation paths in 9,9′-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study, M. Jurczok, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig 253 (2000) 339

Crystals
An improved calculation method on optical second-order susceptibilities of organic materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo 253 (2000) 241
Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of lattice vibrations and of mutual interaction in the diffusion of methane in a cation-free LTA zeolite, S. Fritzsche, R. Haberlandt and M. Wolfsberg 253 (2000) 283

-neat
An improved calculation method on optical second-order susceptibilities of organic materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo 253 (2000) 241

-mixed
Synthesis and magnetic characterisation of fullerene derivative based ferromagnets 1-(3-nitro)- and 1-(3-aminophenyl)-1*H*-methanofullerene doped with cobaltocene, P. Umek, A. Omerzu, D. Mihailović and M. Tokumoto 253 (2000) 361

Complex fluids
Topological properties of the hydrogen-bond network in liquid water, D.L. Bergman 253 (2000) 267

-liquid crystals
Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4′-cyanobiphenyl, H. Nakayama, Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii 253 (2000) 331

-micelles
Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT, A.K. Mandal and M.K. Pal 253 (2000) 115

Polymers
Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch 253 (2000) 105

Semiconductors
Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy, T. Kimura, M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki 253 (2000) 125

Surfaces
Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas 253 (2000) 323

Biological systems
The keto–amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models, C. Alemán 253 (2000) 13

Microscopic and mesoscopic systems

Molecules (neutral and ionic)
The electron localization function description of aromaticity in five-membered rings, D.B. Chesnut and L.J. Bartolotti 253 (2000) 1
The electronic structure of rare-earth oxides in the creation of the core hole, C. Suzuki, J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama 253 (2000) 27
Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga, M.C. Marconi, R. Martín Negri and P.F. Aramendía 253 (2000) 249
Comparative absorption, electroabsorption and electrochemical studies of intervalence electron transfer and electronic coupling in cyanide-bridged bimetallic systems: ancillary ligand effects, F.W. Vance, R.V. Slone, C.L. Stern and J.T. Hupp 253 (2000) 313

-diatomic
Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on the T_1 NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and M. Jaszuński 253 (2000) 183
Semiclassical energies of low-lying states of one-electron diatomics, E.J. Buehler, E.E. Gooch, J.L. Dial and S.K. Knudson 253 (2000) 219

-small polyatomics
The electron localization function description of aromaticity in five-membered rings, D.B. Chesnut and L.J. Bartolotti 253 (2000) 1
Observation of a bottleneck in the vibrational relaxation of liquid bromoform, M.A.F.H. van den Broek and H.J. Bakker 253 (2000) 157
Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas 253 (2000) 323
Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions, I.H. Suzuki and N. Saito 253 (2000) 351

-aromatics
The electron localization function description of aromaticity in five-membered rings, D.B. Chesnut and L.J. Bartolotti 253 (2000) 1
Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene, Z.B. Maksić, B. Kovačević and A. Lesar 253 (2000) 59
A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen 253 (2000) 133

-other large
Valence shell orbital imaging in adamantane by electron momentum spectroscopy, I.V. Litvinyuk, Y. Zheng and C.E. Brion 253 (2000) 41

Molecular aggregates
Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch 253 (2000) 105

Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT, A.K. Mandal and M.K. Pal 253 (2000) 115

-van der Waals molecules
Ab initio determination of the $C_6H_6\cdots CS_2$ cluster stabilization energy, N.P. da Silveira, F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto 253 (2000) 165

-clusters
Ab initio determination of the $C_6H_6\cdots CS_2$ cluster stabilization energy, N.P. da Silveira, F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto 253 (2000) 165
A genetic algorithm based technique for locating first-order saddle point using a gradient dominated recipe, P. Chaudhury, S.P. Bhattacharyya and W. Quapp 253 (2000) 295

-complexes
Density functional study of electronic, magnetic and hyperfine properties of $[M(CN)_5NO]^{2-}$ (M = Fe, Ru) and reduction products, J.A. Gómez and D. Guenzburger 253 (2000) 73
Q-Band single-crystal EPR study and molecular orbital calculations of $[(C_6H_5)_4As][Re^{VI}NCl_4/Re^{V}OCl_4]$, A. Voigt, U. Abram, R. Böttcher, U. Richter, J. Reinhold and R. Kirmse 253 (2000) 171

Free radicals (incl. hydronium and muonium)
Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy, T. Kimura, M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki 253 (2000) 125
Kinetics of the reactions of $FC(O)O_2$ radicals with F atoms and F_2, M.P. Badenes, E. Castellano, C.J. Cobos, A.E. Croce and M.E. Tucceri 253 (2000) 205
Influence of geminate recombination kinetics on the shape of low field MARY line, Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin 253 (2000) 231

Ions and charge carriers
A universal Gaussian basis set for positive and negative ions from H through Xe, F.E. Jorge and M.L. Franco 253 (2000) 21
Influence of geminate recombination kinetics on the shape of low field MARY line, Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin 253 (2000) 231

Nucleic acids
The keto–amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models, C. Alemán 253 (2000) 13

Phenomena

Molecular structure
The keto–amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models, C. Alemán 253 (2000) 13

Vibrations and rotations of molecules

Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4′-cyanobiphenyl, H. Nakayama, Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii 253 (2000) 331

Electronic structure and states

A universal Gaussian basis set for positive and negative ions from H through Xe, F.E. Jorge and M.L. Franco 253 (2000) 21

The electronic structure of rare-earth oxides in the creation of the core hole, C. Suzuki, J. Kawai, M. Takahashi, A.-M. Vlaicu, H. Adachi and T. Mukoyama 253 (2000) 27

Valence shell orbital imaging in adamantane by electron momentum spectroscopy, I.V. Litvinyuk, Y. Zheng and C.E. Brion 253 (2000) 41

Vibronic coupling for H_2CO and CO_2, A.B. Rocha and C.E. Bielschowsky 253 (2000) 51

Density functional study of electronic, magnetic and hyperfine properties of $[M(CN)_5NO]^{2-}$ (M = Fe, Ru) and reduction products, J.A. Gómez and D. Guenzburger 253 (2000) 73

Electronic structure of lithium phthalocyanine studied by ultraviolet photoemission spectroscopy, T. Kimura, M. Sumimoto, S. Sakaki, H. Fujimoto, Y. Hashimoto and S. Matsuzaki 253 (2000) 125

A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen 253 (2000) 133

Semiclassical energies of low-lying states of one-electron diatomics, E.J. Buehler, E.E. Gooch, J.L. Dial and S.K. Knudson 253 (2000) 219

Synthesis and magnetic characterisation of fullerene derivative based ferromagnets 1-(3-nitro)- and 1-(3-aminophenyl)-1*H*-methanofullerene doped with cobaltocene, P. Umek, A. Omerzu, D. Mihailović and M. Tokumoto 253 (2000) 361

Electric and magnetic properties

Density functional study of electronic, magnetic and hyperfine properties of $[M(CN)_5NO]^{2-}$ (M = Fe, Ru) and reduction products, J.A. Gómez and D. Guenzburger 253 (2000) 73

Q-Band single-crystal EPR study and molecular orbital calculations of $[(C_6H_5)_4As][Re^{VI}NCl_4/Re^{V}OCl_4]$, A. Voigt, U. Abram, R. Böttcher, U. Richter, J. Reinhold and R. Kirmse 253 (2000) 171

Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on the T_1 NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and M. Jaszuński 253 (2000) 183

Molecular interactions

Ab initio determination of the $C_6H_6\cdots CS_2$ cluster stabilization energy, N.P. da Silveira, F.S. Rodembusch, F.V. Pereira, D. Samios and P.R. Livotto 253 (2000) 165

Equilibration of the kinetic energy in small zeolite cavities. The thermalization effect of lattice vibrations and of mutual interaction in the diffusion of methane in a cation-free LTA zeolite, S. Fritzsche, R. Haberlandt and M. Wolfsberg 253 (2000) 283

Monte Carlo simulation study of solvent effect on Na^+ to Li^+ ion mutation, H.-S. Kim 253 (2000) 305

Spectral bandshapes and intensities
Vibronic coupling for H_2CO and CO_2, A.B. Rocha and C.E. Bielschowsky 253 (2000) 51

Coupling of electronic and nuclear motion
Influence of geminate recombination kinetics on the shape of low field MARY line, Yu.V. Toropov, F.B. Sviridenko, D.V. Stass, A.B. Doktorov and Yu.N. Molin 253 (2000) 231

Molecular photophysical processes
Fullerene derivatives embedded in poly(methylmethacrylate): a laser flash photolysis and time-resolved EPR study, G. Agostini, L. Pasimeni, M. Ruzzi, S. Monti, M. Maggini, M. Prato, I. Lamparth and A. Hirsch 253 (2000) 105
Strong fluorescence emissions by H-aggregates of the dye thiacyanine in the presence of the surfactant aerosol-OT, A.K. Mandal and M.K. Pal 253 (2000) 115
A systematic investigation of the influence of Cooper minima on the photoionisation dynamics of the monohalobenzenes, D.M.P. Holland, D. Edvardsson, L. Karlsson, R. Maripuu, K. Siegbahn, A.W. Potts and W. von Niessen 253 (2000) 133
Excited state relaxation paths in 9,9′-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study, M. Jurczok, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig 253 (2000) 339
Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions, I.H. Suzuki and N. Saito 253 (2000) 351

Intramolecular dynamics

-radiationless transitions
Excited-state intramolecular proton transfer followed by *cis–trans* isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka 253 (2000) 91
Relaxation of individual rotational levels of the $\tilde{A}\ ^1A_u$ electronic state of acetylene excited to the $2\nu_3'$ and $(\nu_1'+\nu_3'+\nu_6')$ vibrational modes, V.I. Makarov and E. Quiñones 253 (2000) 259

-vibrational energy redistribution (incl. vibrational dissociation)
Observation of a bottleneck in the vibrational relaxation of liquid bromoform, M.A.F.H. van den Broek and H.J. Bakker 253 (2000) 157

Nonlinear responses (incl. optical)
An improved calculation method on optical second-order susceptibilities of organic materials, X.-L. Zhu, X.-Z. You, Y. Zhong, Z. Yu and S.-L. Guo 253 (2000) 241

Reactions (incl. dissociation)
A genetic algorithm based technique for locating first-order saddle point using a gradient dominated recipe, P. Chaudhury, S.P. Bhattacharyya and W. Quapp 253 (2000) 295

Electron transfer
Comparative absorption, electroabsorption and electrochemical studies of intervalence electron transfer and electronic coupling in cyanide-bridged bimetallic systems: ancillary ligand effects, F.W. Vance, R.V. Slone, C.L. Stern and J.T. Hupp 253 (2000) 313

Excited state relaxation paths in 9,9′-bianthryl and 9-carbazolyl-anthracene: a sub-ps transient absorption study, M. Jurczok, P. Plaza, M.M. Martin, Y.H. Meyer and W. Rettig 253 (2000) 339

Proton and hydrogen atom transfer

Protonation of archetypal aromatic and antiaromatic systems – G2 studies of benzene and cyclobutadiene, Z.B. Maksić, B. Kovačević and A. Lesar 253 (2000) 59

Excited-state intramolecular proton transfer followed by *cis–trans* isomerization of (1-hydroxy-2-naphthyl)-s-triazine derivatives, M. Moriyama, M. Kosuge, S. Tobita and H. Shizuka 253 (2000) 91

Ionization (incl. Rydberg states)

Energy dependences of fragment ion yields from acetone photoexcited in the C1s and O1s transition regions, I.H. Suzuki and N. Saito 253 (2000) 351

Molecular motion (incl. diffusive)

Molecular rotational diffusion detected by differential fluorescence energy, J.R. Torga, M.C. Marconi, R. Martín Negri and P.F. Aramendía 253 (2000) 249

Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4′-cyanobiphenyl, H. Nakayama, Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii 253 (2000) 331

Collective motion and excitations

Pseudo-lattice vibrations in smectic phase of liquid crystals: studies on small wave number Raman spectra of 4-alkyl-4′-cyanobiphenyl, H. Nakayama, Y. Minagawa, C. Abematsu, S. Yajima and K. Ishii 253 (2000) 331

Surface chemical physics

Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini 253 (2000) 367

-adsorption

Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini 253 (2000) 367

-desorption

Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini 253 (2000) 367

-surface excitations

Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini 253 (2000) 367

-catalysis

Non-equilibrium vibrational kinetics in adlayers: outline of an alternative approach to catalytic processes, E. Molinari and M. Tomellini 253 (2000) 367

Thermodynamic and transport properties
Nuclear quadrupole coupling constant of ^{21}Ne in the neon dimer and its influence on the T_1 NMR relaxation time in fluid neon, A. Halkier, B. Kirchner, H. Huber and M. Jaszuński 253 (2000) 183

Structure of solids, liquids and glasses
Topological properties of the hydrogen-bond network in liquid water, D.L. Bergman 253 (2000) 267
Monte Carlo simulation study of solvent effect on Na^+ to Li^+ ion mutation, H.-S. Kim 253 (2000) 305
Temperature-dependent optical Kerr effect spectroscopy of chloroform in restricted geometries, B.J. Loughnane, A. Scodinu and J.T. Fourkas 253 (2000) 323

Biomolecular structure–function relationships
The keto–amino/enol tautomerism of cytosine in aqueous solution. A theoretical study using combined discrete/self-consistent reaction field models, C. Alemán 253 (2000) 13